

STEEL EXTERNAL DOORSET PERFORMANCE CHARACTERISTICS

BS EN 14351-1:2006 + A2:2016

EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS



DOORTEC (SCOTLAND) LIMITED

17 MELDRUM MAINS, GLENMAVIS, AIRDRIE, LANARKSHIRE, SCOTLAND. MLG OQQ

STEEL SECURITY DOORS

Height (max)	2035 mm
Width (max)	1060 mm
Dangerous Substances	None
The Load Bearing Capacity of Safety Devices	Passed
Thermal Transmittance (uPVC Frames)	2.0 W/m2K
Resistance to Wind Load	NPD
Resistance to Snow and Permanent Load	NPD
Reaction to Fire	NPD
External Fire Performance	NPD
Water Tightness	NPD
Impact Resistance	NPD
Radiation Properties	NPD
Acoustic Performance	NPD
Air Permeability	NPD
The Ability to Release	NPD

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed Catho Fount

Position: DIRECTOR

Date: 4th October 2021.